

AMENDMENTS TO THE CLAIMS

IN THE CLAIMS

This listing of the claims will replace all prior versions, and listing, of claims in the application or previous response to office action:

1-14. (Cancelled)

15. (Previously Presented) A method for receiving location information, the method comprising:

receiving a Push-to-Talk over Cellular message (PoC) at a first PoC terminal device indicating that a user of a second PoC terminal device has pressed a PoC talk button, the message including a geographical location of the second PoC terminal device;

indicating the geographical location of the second PoC terminal device to a user of the first PoC terminal device;

indicating a direction of the first PoC terminal device from the geographical location of the second PoC terminal device;

indicating a distance of the first PoC terminal device from the second PoC terminal device;

indicating a geographical location of the first PoC terminal device on a map together with the geographical location of the second PoC terminal device; and

indicating coordinates of both the first PoC terminal device and the second PoC terminal device.

16-17. (Cancelled)

18. (Previously Presented) A method for receiving location information as claimed in claim 15, wherein the Push-to-Talk over Cellular message is one of a REFER message and a Floor taken message.

19. (Currently Amended) A method for transmitting location information, the method comprising:

determining whether a parameter controllable by a user of a first PoC terminal device allows for indicating a geographical location of the first PoC terminal device to another PoC terminal device to which a message may be sent;

writing information into the message, in response to the user of the first PoC terminal device pressing a PoC talk button, the information indicating the user pressed the PoC talk button and, only if the parameter allows, indicating the geographical location of the first PoC terminal device, wherein the information describing the geographical location of the first PoC terminal device is written into the message only if a parameter controllable by the user of the first PoC terminal device shows that the geographical location may be indicated; and

transmitting the message to one of a second PoC terminal device and a communications network.

20-21. (Cancelled)

22. (Previously Presented) A method for transmitting location information as claimed in claim 19, wherein the message is a Push-to-Talk over Cellular message.

23. (Previously Presented) A method for transmitting location information as claimed in claim 22, wherein the Push-to-Talk over Cellular message is one of a REFER message and a Floor taken message.

24. **(Currently Amended)** A PoC terminal device, comprising:

a receiver, the receiver receiving a PoC message indicating that a user of a further PoC terminal device has pressed a PoC talk button, the PoC message including a geographical location of the further PoC terminal device; and

an indicator, the indicator indicating the geographical location of the further PoC terminal device to a user of the PoC terminal device, the indicator additionally indicating at least one of:

a direction of the PoC terminal device from the geographical location of the further PoC terminal device;

a distance of the PoC terminal device from the further PoC terminal device;

a geographical location of the PoC terminal device on a map together with a geographical location of the further PoC terminal device; and

coordinates of both the PoC terminal device and the further PoC terminal device,

wherein the PoC message includes the geographical location of the further PoC terminal device and the indicator only if a parameter controllable by the user of the further PoC terminal device shows that the geographical location may be indicated.

25-26. (Cancelled)

27. **(Previously Presented)** A PoC terminal device as claimed in claim 24, wherein the Push-to-Talk over Cellular message is a Floor taken message.

28. (Currently Amended) A PoC terminal device, comprising:

a parameter under control of a user of the PoC terminal device for determining whether the PoC terminal device allows for indicating a geographical location of the PoC terminal device to another PoC terminal device to which a message is to be sent;

a message generator, the message generator writing information into the message, responsive to a user of the PoC terminal device pressing a PoC talk button, the information indicating the user pressed the PoC talk button and, only if the parameter allows, indicating the geographical location of the PoC terminal device, wherein the information describing the geographical location of the PoC terminal device is written into the message only if a parameter controllable by the user of the PoC terminal device shows that the geographical location may be indicated; and

a transmitter, the transmitter transmitting the message to one of a further PoC terminal device and a communications network.

29-30. (Cancelled)

31. (Previously Presented) A PoC terminal device as claimed in claim 28, wherein the message is a Push-to-Talk over Cellular message.

32. (Previously Presented) A PoC terminal device as claimed in claim 31, wherein the Push-to-Talk over Cellular message is a REFER message.